

Hersteller / *Manufacturer:* **AS Medizintechnik GmbH**

Anschrift / *Address:* **Sattlerstr. 15  
78532 Tuttlingen / Germany**

---

SRN-Nummer / *SRN-No.:* DE-MF-000005601

Produktgruppe/ *Product group:* **Scharfe Nasenzange / Nasal forceps**

Artikel / *Articles:* Siehe Anhang / *see annex*

Basis-UDI-DI / *Basic UDI-DI:* 4050123-26-1801-KF

Risikoklasse / *Risk class:* Klasse Ir / *Class Ir*

Regel / *Rule:* 6

UMDNS: 15243 Hohlmeißelzange, sonstige / *Rongeurs, Other*

GMDN: 62726 Nasal septum straightening forceps

EMDN: L140202 Nasal and paranasal cavity surgery pliers, reusable

Zweckbestimmung / *Intended use:* Scharfes chirurgisches Instrument mit dem Knochen und Knorpel bearbeitet werden kann.  
*Sharp surgical instrument with which bone and cartilage can be processed.*

Zertifikat / *Certificate:* D1085600030

---

Mit der vorliegenden Konformitätserklärung erklären wir in alleiniger Verantwortung, dass das oben aufgeführte Medizinprodukt die grundlegenden Sicherheits- und Leistungsanforderungen gemäß Anhang I der Verordnung (EU) 2017/745 erfüllt.

*With the present Declaration of Conformity, we hereby declare under our sole responsibility, that the above-mentioned medical device meets the essential safety- and performance requirements, defined in annex I of the Regulation (EU) 2017/745.*

Das Konformitätsbewertungsverfahren wurde durchgeführt nach Anh. IX Kapitel I und III der Verordnung (EU) 2017/745 für Medizinprodukte.

*The Conformity Assessment Procedure has been performed according to annex IX, Chapter I and III of the Regulation (EU) 2017/745 for medical devices.*

Angewandte Spezifikationen für die die Konformität erklärt wird sind im FB 4.2.3.1 Liste Normen, Verordnungen und Gesetze aufgeführt.

*Applied specifications for which conformity is declared are listed in FB 4.2.3.1 List of standards, regulations and laws.*

Diese Erklärung verliert sofort ihre Gültigkeit in Folge jeder, nicht durch uns schriftlich autorisierten Änderung oder Reparatur am Produkt.

*This declaration becomes invalid immediately, when repairs or alterations occur to the product, without prior written approval by us.*

---

**Benannte Stelle:** Kennnummer: 0483  
 mdc medical device certification GmbH,  
 Kriegerstr. 6, 70191 Stuttgart

**Notified Body:** Identification number: 0483  
 mdc medical device certification GmbH,  
 Kriegerstr. 6, 70191 Stuttgart

Diese Erklärung ist gültig bis zum 19.07.2027  
*this declaration is valid until: 19.07.2027*



Tuttlingen, den 05.09.2023

**Nino Schilling**  
 Geschäftsleitung / *Managing Director*

**Anhang / Annex**

Artikel-Nr. / Item number	Artikelbezeichnung deutsch	Articel description
27-460-19 Z	ASLIDE Blakesley Siebbeinzange, gerade,durchschneidend, 1,9 x 5,0 mm, NL 120 mmzerlegbar	ASLIDE Blakesley Ethmoid Forceps, str.,through cutting, 1,9 x 5,0 mm, WL 120 mmdetachable
27-460-25	Weil-Blakesley Siebbeinzange, gerade,durchschneidend, 2,5 mm, NL 120 mm	Weil Blakesley Ethmoid Forceps, straightthrough cutting, 2,5 mm, WL 120 mm
27-460-25 Z	ASLIDE Blakesley Siebbeinzange, gerade,durchschneidend, 2,5 x 6,0 mm, NL 120 mmzerlegbar	ASLIDE Blakesley Ethmoid Forceps, str.,through cutting, 2,5 x 6,0 mm, WL 120 mmdetachable
27-460-30 Z	ASLIDE Blakesley Siebbeinzange, gerade,durchschneidend, 3,0 x 7,0 mm, NL 120 mmzerlegbar	ASLIDE Blakesley Ethmoid Forceps, str.,through cutting, 3,0 x 7,0 mm, WL 120 mmdetachable
27-460-36	Weil-Blakesley Siebbeinzange, gerade,durchschneidend, 3,6 mm, NL 120 mm	Weil Blakesley Ethmoid Forceps, straightthrough cutting, 3,6 mm, WL 120 mm
27-460-48	Weil-Blakesley Siebbeinzange, gerade,durchschneidend, 4,8 mm, NL 120 mm	Weil Blakesley Ethmoid Forceps, straightthrough cutting, 4,8 mm, WL 120 mm
27-461-19 Z	ASLIDE Blakesley Siebbeinzange, 45° auf,durchschneidend, 1,9 x 5,0 mm, NL 120 mmzerlegbar	ASLIDE Blakesley Ethmoid Forceps, 45° upthrough cutting, 1,9 x 5,0 mm, WL 120 mmdetachable
27-461-25	Weil-Blakesley Siebbeinzange, 45° aufgeburchschneidend, 2,5 mm, NL 120 mm	Weil Blakesley Ethmoid Forceps, 45° upcvd., through cutting, 2,5 mm, WL 120 mm
27-461-25 Z	ASLIDE Blakesley Siebbeinzange, 45° auf,durchschneidend, 2,5 x 6,0 mm, NL 120 mmzerlegbar	ASLIDE Blakesley Ethmoid Forceps, 45° upthrough cutting, 2,5 x 6,0 mm, WL 120 mmdetachable
27-461-30 Z	ASLIDE Blakesley Siebbeinzange, 45° auf,durchschneidend, 3,0 x 7,0 mm, NL 120 mmzerlegbar	ASLIDE Blakesley Ethmoid Forceps, 45° upthrough cutting, 3,0 x 7,0 mm, WL 120 mmdetachable
27-461-36	Weil-Blakesley Siebbeinzange, 45° aufgeburchschneidend, 3,6 mm, NL 120 mm	Weil Blakesley Ethmoid Forceps, 45° upcvd., through cutting, 3,6 mm, WL 120 mm
27-461-48	Weil-Blakesley Siebbeinzange, 45° aufgeburchschneidend, 4,8 mm, NL 120 mm	Weil Blakesley Ethmoid Forceps, 45° upcvd., through cutting, 4,8 mm, WL 120 mm
27-610-03	Sinuskopie Löffel Zange, doppelt bewegl.3,0x4,0mm, 70° vertikal öffnend, NL 13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,3,0x4,0mm, 70° vertical opening, WL 13cmwith LL-connection to clean and rinse
27-610-04	Sinuskopie Löffel Zange, doppelt bewegl.4,0x5,0mm, 70° vertikal öffnend, NL 13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,4,0x5,0mm, 70° vertical opening, WL 13cmwith LL-connection to clean and rinse
27-611-03	Sinuskopie Löffel Zange, doppelt bewegl.3,0x4,0mm, 70° horizontal öffnend,NL 13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,3,0x4,0mm, 70° horizontal opening,WL13cmwith LL-connection to clean and rinse
27-611-04	Sinuskopie Löffel Zange, doppelt bewegl.4,0x5,0mm, 70° horizontal öffnend,NL 13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,4,0x5,0mm, 70° horizontal opening,WL13cmwith LL-connection to clean and rinse
27-612-03	Sinuskopie Löffel Zange, doppelt bewegl.3,0x4,0mm, 90° vertikal öffnend, NL 13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,3,0x4,0mm, 90° vertical opening, WL 13cmwith LL-connection to clean and rinse

27-612-04	Sinuskopie Löffel Zange, doppelt bewegl.4,0x5,0mm, 90° vertikal öffnend, NL 13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,4,0x5,0mm, 90° vertical opening, WL 13cmwith LL-connection to clean and rinse
27-613-03	Sinuskopie Löffel Zange, doppelt bewegl.3,0x4,0mm, 90° horizontal öffnend,NL13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,3,0x4,0mm, 90° horizontal opening,WL13cmwith LL-connection to clean and rinse
27-613-04	Sinuskopie Löffel Zange, doppelt bewegl.4,0x5,0mm, 90° horizontal öffnend,NL13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,4,0x5,0mm, 90° horizontal opening,WL13cmwith LL-connection to clean and rinse
27-614-03	Sinuskopie Löffel Zange, doppelt bewegl.3,0x4,0mm, 110° vertikal öffnend, NL13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,3,0x4,0mm, 110° vertical opening, WL13cmwith LL-connection to clean and rinse
27-614-04	Sinuskopie Löffel Zange, doppelt bewegl.4,0x5,0mm, 110° vertikal öffnend, NL13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,4,0x5,0mm, 110° vertical opening, WL13cmwith LL-connection to clean and rinse
27-615-03	Sinuskopie Löffel Zange, doppelt bewegl.3,0x4,0mm,110° horizontal öffnend,NL13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,3,0x4,0mm,110° horizontal opening,WL13cmwith LL-connection to clean and rinse
27-615-04	Sinuskopie Löffel Zange, doppelt bewegl.4,0x5,0mm,110° horizontal öffnend,NL13cmmit LL-Spülanschluss zur Innenreinigung	Sinuscopy Cup Forceps, double action,4,0x5,0mm,110° horizontal opening,WL13cmwith LL-connection to clean and rinse
27-621-45	Sinuskopie-Zange, doppelt bewegl., 45°horizontal öffnend, NL 12 cm mitLL-Spülanschluss zur Innenreinigung	Sinuscopy Forceps, double action, 45°horizontal opening, WL 12 cm withLL-connection to clean and rinse
27-621-80	Sinuskopie-Zange, doppelt bewegl., 80°horizontal öffnend, NL 10 cm mitLL-Spülanschluss zur Innenreinigung	Sinuscopy Forceps, double action, 80°horizontal opening, WL 10 cm withLL-connection to clean and rinse
27-624-35	Zirkular Stanze, gerade, Ø 3,5 mm 360°zirkulär schneidend, NL 180 mm mitLL-Spülanschluss zur Innenreinigung	Circular Forceps, straight Ø 3,5 mm 360°cutting in a full circle, WL 180 mm withLL-connection to clean and rinse
27-624-45	Zirkular Stanze, gerade, Ø 4,5 mm 360°zirkulär schneidend, NL 180 mm mitLL-Spülanschluss zur Innenreinigung	Circular Forceps, straight Ø 4,5 mm 360°cutting in a full circle, WL 180 mm withLL-connection to clean and rinse
27-625-35	Zirkular Stanze, 65° aufg, Ø 3,5 mm 360°zirkulär schneidend, NL 180 mm mitLL-Spülanschluss zur Innenreinigung	Circular Forceps, 65° cvd. Ø 3,5 mm 360°cutting in a full circle, WL 180 mm withLL-connection to clean and rinse
27-625-45	Zirkular Stanze, 65° aufg, Ø 4,5 mm 360°zirkulär schneidend, NL 180 mm mitLL-Spülanschluss zur Innenreinigung	Circular Forceps, 65° cvd. Ø 4,5 mm 360°cutting in a full circle, WL 180 mm withLL-connection to clean and rinse
27-626-17	Takahashi Siebbeinzange, 3,0 x 7,0 mm,NL 170 cm mit LL-Spülanschluss zurInnenreinigung	Takahashi, Nasal forceps, 3,0 x 7,0 mm,WL 170 mm with LL-connection to cleanand rinse
27-628-00	Blakesley Nasenzange, Fig 0, 3,0 mm,gerade, durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Blakesley Nasal forceps, Fig 0, 3,0 mm,straight, through cutting, WL 130 mmwith LL-connection to clean and rinse
27-628-01	Blakesley Nasenzange, Fig 1, 3,5 mm,gerade, durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Blakesley Nasal forceps, Fig 1, 3,5 mm,straight, through cutting, WL 130 mmwith LL-connection to clean and rinse
27-628-02	Blakesley Nasenzange, Fig 2, 4,0 mm,gerade, durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Blakesley Nasal forceps, Fig 2, 4,0 mm,straight, through cutting, WL 130 mmwith LL-connection to clean and rinse
27-629-00	Blakesley Nasenzange, Fig 0, 3,0 mm,45° aufgeb., durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Blakesley Nasal forceps, Fig 0, 3,0 mm,45° up cvd., through cutting, WL 130 mmwith LL-connection to clean and rinse
27-629-01	Blakesley Nasenzange, Fig 1, 3,5 mm,45° aufgeb., durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Blakesley Nasal forceps, Fig 1, 3,5 mm,45° up cvd., through cutting, WL 130 mmwith LL-connection to clean and rinse
27-629-02	Blakesley Nasenzange, Fig 2, 4,0 mm,45° aufgeb., durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Blakesley Nasal forceps, Fig 2, 4,0 mm,45° up cvd., through cutting, WL 130 mmwith LL-connection to clean and rinse
27-630-01	Grünwald Nasenzange, 8,0 x 3,0 mm,gerade, durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Grunwald Nasal forceps, 8,0 x 3,0 mm,straight, through cutting, WL 130 mmwith LL-connection to clean and rinse
27-630-02	Grünwald Nasenzange, 8,0 x 4,0 mm,gerade, durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Grunwald Nasal forceps, 8,0 x 4,0 mm,straight, through cutting, WL 130 mmwith LL-connection to clean and rinse
27-631-02	Grünwald Nasenzange, 8,0 x 4,0 mm,45° aufgeb., durchschneidend, NL 130 mmmit LL-Spülanschluss zur Innenreinigung	Grunwald Nasal forceps, 8,0 x 4,0 mm,45° up, through cutting, WL 130 mmwith LL-connection to clean and rinse

27-650-01	Jikei Conchotom, gerade, Fig. 1, feindurchschneidend, NL 140 mm	Jikei Conchotom, straight, Fig. 1, deli.through cutting, WL 140 mm
27-650-02	Jikei Conchotom, gerade, Fig. 2, Maulaufgebogen, feindurchschneidend, NL 140 mm	Jikei Conchotom, straight, Fig. 2, jawup curved, deli., through cutting, WL 140 mm
27-650-03	Jikei Conchotom, aufgeb., Fig. 3, feindurchschneidend, NL 140 mm	Jikei Conchotom, up cvd., Fig. 3, deli.through cutting, WL 140 mm
27-650-04	Jikei Löffelzange, gerade, Fig. 4, oval, zarter Löffel, NL 140 mm	Jikei Spoon forceps, straight, Fig. 4, oval, delicate cup, WL 140 mm
27-650-05	Jikei Löffelzange, gerade, Fig. 5, Maulaufgebogen, oval, zarter Löffel, NL 140 mm	Jikei Spoon forceps, straight, Fig. 5, jaw up curved, oval, delicate cup, WL 140 mm
27-650-06	Jikei Löffelzange, aufgeb., Fig. 6, ovalzarter Löffel, NL 140 mm	Jikei Spoon forceps, up cvd., Fig. 6, oval, delicate cup, WL 140 mm
27-650-07	Jikei Stanze, aufgeb., Fig. 7, rückwärtsstanzend, NL 140 mm	Jikei Punch, up curved, Fig. 7, backwardcutting, WL 140 mm
27-650-08	Jikei Conchotom, aufgeb., Fig. 8, durch-schneidend, NL 140 mm	Jikei Conchotom, up cvd., Fig. 8, through cutting, WL 140 mm
27-650-09	Jikei Löffelzange, aufgeb., Fig. 9, oval NL 140 mm	Jikei Spoon forceps, up cvd., Fig. 9, oval, WL 140 mm
27-650-10	Jikei Conchotom, gerade, Fig. 10, kleine Ausführung, durchschneidend, NL 115 mm	Jikei Conchotom, straight, Fig. 10, small model, through cutting, WL 115 mm
27-650-11	Jikei Conchotom, gerade, Fig. 11, große Ausführung, durchschneidend, NL 115 mm	Jikei Conchotom, straight, Fig. 11, large model, through cutting, WL 115 mm
27-650-12	Jikei Conchotom, gerade, Fig. 12, Maulaufgebogen, kleine Ausführung, durch-schneidend, NL 115 mm	Jikei Conchotom, straight, Fig. 12, jawup curved, small model, through cutting, WL 115 mm
27-650-13	Jikei Conchotom, gerade, Fig. 13, Maulaufgebogen, mittlere Ausführung, durch-schneidend, NL 115 mm	Jikei Conchotom, straight, Fig. 13, jawup curved, medium model, through cutting, WL 115 mm
27-650-14	Jikei Conchotom, gerade, Fig. 14, Maulaufgebogen, große Ausführung, durch-schneidend, NL 115 mm	Jikei Conchotom, straight, Fig. 14, jawup curved, large model, through cutting, WL 115 mm
27-655-01	Mikro Stanze, rückwärtsschneidend, abwärts gebogen, für Kinder, 2,5 mm NL 115 mm	Back biter Forceps, retrograde cutting, downwards curved, pediatric model, 2,5 mm, WL 115 mm
27-655-01 B	Mikro Stanze, rückwärtsschneidend, abwärts gebogen, für Kinder, 2,5 mm NL 115 mm, mit Keramikbeschichtung	Back biter Forceps, retrograde cutting, downwards curved, pediatric model, 2,5 mm, WL 115 mm, with ceramic coating
27-655-02	Mikro Stanze, rückwärtsschneidend, aufwärts gebogen, für Kinder, 2,5 mm NL 115 mm	Back biter Forceps, retrograde cutting, upwards curved, pediatric model, 2,5 mm, WL 115 mm
27-655-02 B	Mikro Stanze, rückwärtsschneidend, aufwärts gebogen, für Kinder, 2,5 mm NL 115 mm, mit Keramikbeschichtung	Back biter Forceps, retrograde cutting, upwards curved, pediatric model, 2,5 mm, WL 115 mm, with ceramic coating
27-655-03	Mikro Stanze, rückwärtsschneidend, abwärts gebogen, für Erwachsene, 3,6 mm NL 115 mm	Back biter Forceps, retrograde cutting, downwards curved, adult model, 3,6 mm, WL 115 mm
27-655-03 B	Mikro Stanze, rückwärtsschneidend, abwärts gebogen, für Erwachsene, 3,6 mm NL 115 mm, mit Keramikbeschichtung	Back biter Forceps, retrograde cutting, downwards curved, adult model, 3,6 mm, WL 115 mm, with ceramic coating
40-034-32	HNO Rongeur, 3,2 x 9,8 mm, gerade NL 115 mm/ Maul gefenstert	ENT Rongeur, 3,2 x 9,8mm, straight WL 115 mm/ Jaw fenestrated
40-035-32	HNO Rongeur, 3,2 x 9,8 mm, 45° aufgeb. NL 115 mm/ Maul gefenstert	ENT Rongeur, 3,2 x 9,8mm, 45° up WL 115 mm/ Jaw fenestrated
40-036-25 Z	ASLIDE Blakesley Nasenzange, gerade, 2,5 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, straight 2,5 mm, WL 120 mm, detachable
40-036-30	Weil-Blakesley Nasenzange, 120mm, 3,0mm, gerade	Weil-Blakesley Forceps, 120 mm, 3,0 mm, straight
40-036-30 R	Weil-Blakesley Nasenzange, Rohrschaft, NL 130 mm, 3,0 mm, gerade mit LL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft, WL 130 mm, 3,0 mm, straight with LL-connection to clean and rinse
40-036-30 RL	Weil-Blakesley Nasenzange, Rohrschaft, NL 170 mm, 3,0 mm, gerade mit LL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft, WL 170 mm, 3,0 mm, straight with LL-connection to clean and rinse
40-036-30 Z	ASLIDE Blakesley Nasenzange, gerade, 3,0 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, straight 3,0 mm, WL 120 mm, detachable
40-036-35 Z	ASLIDE Blakesley Nasenzange, gerade, 3,5 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, straight 3,5 mm, WL 120 mm, detachable
40-036-36	Weil-Blakesley Nasenzange, 120mm, 3,6mm, gerade	Weil-Blakesley Forceps, 120 mm, 3,6 mm, straight
40-036-36 R	Weil-Blakesley Nasenzange, Rohrschaft, NL 130 mm, 3,6 mm, gerade mit LL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft, WL 130 mm, 3,6 mm, straight with LL-connection to clean and rinse
40-036-36 RL	Weil-Blakesley Nasenzange, Rohrschaft, NL 170 mm, 3,6 mm, gerade mit LL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft, WL 170 mm, 3,6 mm, straight with LL-connection to clean and rinse
40-036-40 Z	ASLIDE Blakesley Nasenzange, gerade, 4,0 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, straight 4,0 mm, WL 120 mm, detachable
40-036-42	Weil-Blakesley Nasenzange, 120mm, 4,2mm, gerade	Weil-Blakesley Forceps, 120 mm, 4,2 mm, straight

40-036-42 R	Weil-Blakesley Nasenzange, Rohrschaft,NL 130 mm, 4,2 mm, gerade mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 4,2 mm, straight withLL-connection to clean and rinse
40-036-42 RL	Weil-Blakesley Nasenzange, Rohrschaft,NL 170 mm, 4,2 mm, gerade mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 170 mm, 4,2 mm, straight withLL-connection to clean and rinse
40-036-48	Weil-Blakesley Nasenzange, 120mm, 4,8mm,gerade	Weil-Blakesley Forceps, 120 mm, 4,8 mm,straight
40-036-48 R	Weil-Blakesley Nasenzange, Rohrschaft,NL 130 mm, 4,8 mm, gerade mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 4,8 mm, straight withLL-connection to clean and rinse
40-036-58	Weil-Blakesley Nasenzange, 120mm, 5,8mm,gerade	Weil-Blakesley Forceps, 120 mm, 5,8 mm,straight
40-036-65	Tilley Henckel Nasenzange, 100 mm, 6,5mmgerade, Schaft graduert	Tilley Henckel Nasal forceps, 100 mm,6,5 mm, straight, shaft graduated
40-037-30	Weil-Blakesley Nasenzange, 120mm, 3,0mm,45° up	Weil-Blakesley Forceps, 120 mm, 3,0 mm,45° up
40-037-30 R	Weil-Blakesley Nasenzange, Rohrschaft,NL 130 mm, 3,0 mm, 45° up mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 3,0 mm, 45° up withLL-connection to clean and rinse
40-037-30 RL	Weil-Blakesley Nasenzange, Rohrschaft,NL 170 mm, 3,0 mm, 45° up mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 170 mm, 3,0 mm, 45° up withLL-connection to clean and rinse
40-037-30 Z	ASLIDE Blakesley Nasenzange, 45° auf,3,0 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, 45° up,3,0 mm, WL 120 mm, detachable
40-037-35 Z	ASLIDE Blakesley Nasenzange, 45° auf,3,5 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, 45° up,3,5 mm, WL 120 mm, detachable
40-037-36	Weil-Blakesley Nasenzange, 120mm, 3,6mm,45° up	Weil-Blakesley Forceps, 120 mm, 3,6 mm,45° up
40-037-36 R	Weil-Blakesley Nasenzange, Rohrschaft,NL 130 mm, 3,6 mm, 45° up mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 3,6 mm, 45° up withLL-connection to clean and rinse
40-037-36 RL	Weil-Blakesley Nasenzange, Rohrschaft,NL 170 mm, 3,6 mm, 45° up mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 170 mm, 3,6 mm, 45° up withLL-connection to clean and rinse
40-037-40 Z	ASLIDE Blakesley Nasenzange, 45° auf,4,0 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, 45° up,4,0 mm, WL 120 mm, detachable
40-037-42	Weil-Blakesley Nasenzange, 120mm, 4,2mm,45° up	Weil-Blakesley Forceps, 120 mm, 4,2 mm,45° up
40-037-42 R	Weil-Blakesley Nasenzange, NL 130 mm,NL 130 mm, 4,2 mm, 45° up mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 4,2 mm, 45° up withLL-connection to clean and rinse
40-037-48	Weil-Blakesley Nasenzange, 120mm, 4,8mm,45° up	Weil-Blakesley Forceps, 120 mm, 4,8 mm,45° up
40-037-48 R	Weil-Blakesley Nasenzange, Rohrschaft,NL 130 mm, 4,8 mm, 45° up	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 4,8 mm, 45° up withLL-connection to clean and rinse
40-037-58	Weil-Blakesley Nasenzange, 120mm, 5,8mm,45° up	Weil-Blakesley Forceps, 120 mm, 5,8 mm,45° up
40-037-65	Tilley Henckel Nasenzange, 100 mm, 6,5mm40° up, Schaft graduert	Tilley Henckel Nasal forceps, 100 mm,6,5 mm, 40° up, shaft graduated
40-038-00	Struycken Conchotom, 120 mm, 1 mm, ger.	Struycken Cutting Forceps, 120 mm, 1 mm,straight
40-038-01	Struycken Conchotom, 120 mm, 1,5 mm, ger	Struycken Cutting Forceps, 120 mm, 1,5mmstraight
40-038-02	Myles Conchotom, 120 mm, 2 mm, gearde	Myles Cutting Forceps, 120 mm, 2 mm, str
40-038-03	Myles Conchotom, 120 mm, 3 mm, gearde	Myles Cutting Forceps, 120 mm, 3 mm, str
40-038-04	Myles Conchotom, 120 mm, 4 mm, gearde	Myles Cutting Forceps, 120 mm, 4 mm, str
40-038-12	Grünwald-Henke Conchotom, 120 mm, 2,5 mmgerade	Grunwald-Henke Cutting Forceps, 120 mm,2,5 mm, straight
40-038-13	Grünwald-Henke Conchotom, 120 mm, 3,0 mmgerade	Grunwald-Henke Cutting Forceps, 120 mm,3,0 mm, straight
40-038-25 Z	ASLIDE Blakesley Nasenzange, 90° auf,2,5 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, 90° up,2,5 mm, WL 120 mm, detachable
40-038-30	Weil-Blakesley Nasenzange, 120mm, 3,0mm,90° up	Weil-Blakesley Forceps, 120 mm, 3,0 mm,90° up
40-038-30 Z	ASLIDE Blakesley Nasenzange, 90° auf,3,0 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, 90° up,3,0 mm, WL 120 mm, detachable
40-038-35 Z	ASLIDE Blakesley Nasenzange, 90° auf,3,5 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, 90° up,3,5 mm, WL 120 mm, detachable
40-038-36	Weil-Blakesley Nasenzange, 120mm, 3,6mm,90° up	Weil-Blakesley Forceps, 120 mm, 3,6 mm,90° up
40-038-36 R	Weil-Blakesley Nasenzange, Rohrschaft,NL 130 mm, 3,6 mm, 90° up mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 3,6 mm, 90° up withLL-connection to clean and rinse
40-038-40 Z	ASLIDE Blakesley Nasenzange, 90° auf,4,0 mm, NL 120 mm, zerlegbar	ASLIDE Blakesley Nasal forceps, 90° up,4,0 mm, WL 120 mm, detachable
40-038-42	Weil-Blakesley Nasenzange, 120mm, 4,2mm,90° up	Weil-Blakesley Forceps, 120 mm, 4,2 mm,90° up

40-038-42 R	Weil-Blakesley Nasenzange, Rohrschaft,NL 130 mm, 4,2 mm, 90° up mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 4,2 mm, 90° up withLL-connection to clean and rinse
40-038-48	Weil-Blakesley Nasenzange, 120mm, 4,8mm,90° up	Weil-Blakesley Forceps, 120 mm, 4,8 mm,90° up
40-038-48 R	Weil-Blakesley Nasenzange, Rohrschaft,NL 130 mm, 4,8 mm, 90° up mitLL-Spülanschluss zur Innenreinigung	Weil-Blakesley Forceps, Tubing shaft,WL 130 mm, 4,8 mm, 90° up withLL-connection to clean and rinse
40-040-05	Hartmann Conchotom, 120 mm, Ø 5 mm, ger.	Hartmann Cutting Forceps, 120 mm, Ø 5 mmstraight
40-040-07	Hartmann Conchotom, 120 mm, Ø 7 mm, ger.	Hartmann Cutting Forceps, 120 mm, Ø 7 mmstraight
40-040-09	Hartmann Conchotom, 120 mm, Ø 9 mm, ger.	Hartmann Cutting Forceps, 120 mm, Ø 9 mmstraight
40-040-11	Hartmann Conchotom, 120 mm, Ø 11 mm, ger	Hartmann Cutting Forceps, 120 mm, Ø 11mmstraight
40-040-13	Hartmann Tonsillenconchotom, 120 mm,Ø 13 mm, gerade	Hartmann Tonsil Cutting Forceps, 120 mm,Ø 13 mm, straight
40-040-15	Hartmann Tonsillenconchotom, 120 mm,Ø 15 mm, gerade	Hartmann Tonsil Cutting Forceps, 120 mm,Ø 15 mm, straight
40-040-17	Hartmann Tonsillenconchotom, 120 mm,Ø 17 mm, gerade	Hartmann Tonsil Cutting Forceps, 120 mm,Ø 17 mm, straight
40-041-11	Schmeden Conchotom, 120 mm, 5 mm, ger.	Schmeden Cutting Forceps, 120 mm, 5 mm,straight
40-041-12	Schmeden Conchotom, 120 mm, 7 mm, ger.	Schmeden Cutting Forceps, 120 mm, 7 mm,straight
40-041-13	Schmeden Conchotom, 120 mm, 9 mm, ger.	Schmeden Cutting Forceps, 120 mm, 9 mm,straight
40-042-01	Watson-Williams Nasenzange, 120 mm,Ø 7 mm, gerade	Watson-Williams Forceps, 120 mm, Ø 7 mm,straight
40-042-02	Watson-Williams Nasenzange, 120 mm,spitzes Maul, gerade, mit Hals	Watson-Williams Forceps, 120 mm, pointedjaw, straight, with neck
40-042-03	Watson-Williams Nasenzange, 120 mm,6,5 mm, mit Zahnung, gerade	Watson-Williams Forceps, 120 mm, 6,5 mm,with teeth, straight
40-042-04	Watson-Williams Rongeur, 120 mm, 5 mm,gerade	Watson-Williams Forceps, 120 mm, 5 mm,straight
40-042-05	Watson-Williams Rongeur, 120 mm, 7 mm,gerade	Watson-Williams Forceps, 120 mm, 7 mm,straight
40-042-06	Watson-Williams Rongeur, 120 mm, 9 mm,gerade	Watson-Williams Forceps, 120 mm, 9 mm,straight
40-042-11	Watson-Williams Conchotom, 120 mm, 3,5mm45° up, mit Fanggitter	Watson-Williams Cutting Forceps, 120 mm,3,5 mm, 45° up, with basket